





BLT-IN-38 SPECIFICATIONS

BLT-IN SERIESFireplace Features

- Featuring LED light technology
- No heater
- No fan
- Unit can be built into the wall with only 2" (5cm) protruding into the room for Glass, 2 3/4" (7cm) for Stone.
- Slim 6" overall depth unit mounts directly on any wall.
- 12 Volt
- Remote control for turning the flame on or off (included)
- Easy to reach manual controls
- Comes standard with crystal black glass face
- BLT-IN-38 & BLT-IN-58 come with three colors of fire glass media.






Built-in electric fireplaces are a perfect alternative for gas or wood-burning fireplaces, solving impossible installation challenges and offering immediate gratification with same-day installation.

If you have limited space, then the BLT-IN 38" is your answer. This easy-to-install unit adds a clean, fresh look to any room in your home. The crystal black glass face comes standard, or create your own style with optional real stone upgrades. The BLT-IN-38 comes with three colors of fire glass media, see fire glass colors on page 3.

Volts	12
Amps	0.2
Watts	10.5
LED Lights	3 each 5 watt 15 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth Glass Front Model Stone Front Model	16 5/8 x 24 7/16 x 6 5/8 16 5/8 x 24 7/16 x 7 5/16
Glass Viewing Opening	20 11/16 x 11 1/4
Glass Size	38 w x 27 7/8 h
Shipping Size Glass Front Model Stone Front Model	39 3/4 x 9 3/4 x 30 42 1/2 x 9 3/4 x 31 1/2
Shipping Weight Glass Front Model Stone Front Model	80 lbs. 96 lbs.
Cord Length	76"



Unit can be built into the wall with only 1 1/2" protruding into the room



REAL STONE FACE UPGRADES

(Available in BLT-IN 38" and 58" models only)



Absolute Black Granite



Honey Travertine



Dark Gray Limestone

FIRE GLASS COLORS

(Comes with BLT-IN 38" and 58" models only)



Hz-01 Clear



Hz-18 Amber



Hz-32 Aqua




BLT-IN-58 SPECIFICATIONS



Volts	12
Amps	0.2
Watts	10.5
LED Lights	5 each 5 watt 25 watts total
Rotor Motor	1 at 5 watts
Height, Width, Depth Glass Front Model Stone Front Model	16 5/8 x 39 5/16 x 6 5/8 16 5/8 x 39 5/16 x 7 5/16
Glass Viewing Opening	38 1/4 x 11
Glass Size	58 1/4 w x 25 1/2 h
Shipping Size Glass Front Model Stone Front Model	60 1/2 x 8 1/4 x 27 3/4 62 1/2 x 9 3/4 x 31 1/2
Shipping Weight Glass Front Model Stone Front Model	108 lbs. 128 lbs.
Cord Length	75"

Sleek & Stylish.

It's not easy being popular, but the BLT-IN-58" electric fireplace is all that and more. Fitting perfectly into any setting, this gorgeous fireplace will provide years of enjoyment and beauty in your home. Also available with real stone optional upgrades. The BLT-IN-58 comes with three colors of fire glass media, see fire glass colors on page 3.









33P & 33HO SPECIFICATIONS

Insert Series Fireplace Features

- 120 Volt 1500 watt or 220 Volt - 3000 watt/ 5000 btu heater
- Approx heating area -500 sq. ft
- Flame operates with or without heat
- Remote control for flame and heater (included)
- Easy to reach manual controls
- Plug located on the right side
- Cord length 76"
- P = Performance
- HO = High Output Produces double the heat output compared to the P model. Perfect for those areas that need extra heat




33P & 33HO Electric Fireplace

Eco-friendly and practical. This easy-to-install electric fireplace insert instantly brings your existing gas fireplace to life. With lifelike flame technology get the look of a wood fire with a realistic log set and ember bed. The unit can be operated with flame only or flame and heat.

		5
33P	30 1/10	5 9/10
	4/	
29 3/10	73/4	
	33 7/10 ———	6 9/10

	33P	33HO
Volts	120	220
Amps	14	10
Watts	1435	2870
Heater	1350 watts high, 675 watts low	1350 watts high, 675 watts low
No Heater	85 watts	85 watts
Lamps	2 each 40 watt Candelabra Incandescent, 80 watts total	2 each 40 watt Candelabra Incandescent, 80 watts total
Rotor Motor	1@5 watts	1@5 watts
Height, Width, Depth	27 3/4h x 30 1/10w x 5 9/10d	27 3/4h x 30 1/10w x 5 9/10d
Glass Viewing Opening	28-7/9 x 20-1/9	28-7/9 x 20-1/9
Glass Size	28-7/9 x 20-1/9	28-7/9 x 20-1/9
Shipping Size	34 x 10 x 31	34 x 10 x 31
Shipping Weight	62 lbs. Glass Included	62 lbs. Glass Included





39P & 39HO SPECIFICATIONS




39P & 39HO Electric Fireplace

A twin to the 33" model, this larger eco-friendly electric insert is easy-to-install and allows the warmth and comfort of a lifelike fire, making it practical for condo or apartment living. Get the look of a wood fire with a realistic log set and ember bed. The unit can be operated with flame only or flame and heat.

39P	5 9/10	36
	$\overline{}$	
	— 33 1/ 10	31 7/10-
		39 6 9/10

	200	20110
	39P	39HO
Volts	120	220
Amps	14	10
Watts	1515	3030
Heater	1350 watts high, 675 watts low	1350 watts high, 675 watts low
No Heater	165 watts	165 watts
Lamps	4 each 40 watt Candelabra Incandescent, 160 watts total	4 each 40 watt Candelabra Incandescent, 160 watts total
Rotor Motor	1@5 watts	1@5 watts
Height, Width, Depth	37 7/10h x 36w x 5 9/10d	37 7/10h x 36w x 5 9/10d
Glass Viewing Opening	34 7/8 w x 19 5/8 h	34 7/8 w x 19 5/8 h
Glass Size	35 1/2 w x 20 5/8 h	35 1/2 w x 20 5/8 h
Shipping Size	40 x 10 x 35	40 x 10 x 35
Shipping Weight	74 lbs. Glass Included	74 lbs. Glass Included



PRICE LIST

Part Number	Description	MSRP
BLT-IN-38		
BLT-IN-38-BLKGLASS	38" Electric Fireplace w/Black Glass	
REAL STONE FACED UNITS		
BLT-IN-38-BLKGRANITE	38" Electric Fireplace w/Black Granite	
BLT-IN-38-GREYLIMESTONE	38" Electric Fireplace w/Grey Limestone	
BLT-IN-38-TRAVERTINE	38" Electric Fireplace w/Honey Travertine	
DITINI FO		
BLT-IN-58		
BLT-IN-58-BLKGLASS	58" Electric Fireplace w/Black Glass	
REAL STONE FACED UNITS		
BLT-IN-58-BLKGRANITE	58" Electric Fireplace w/Black Granite	
BLT-IN-58-GREYLIMESTONE	58" Electric Fireplace w/Grey Limestone	
BLT-IN-58-TRAVERTINE	58" Electric Fireplace w/Honey Travertine	
	·	
INSERTS —		
33P	Performance Unit using 120 v	
33HO	High Out put Unit using 220 v for More Heat	
39P	Performance Unit using 120 v	
39HO	High Out put Unit using 220 v for More Heat	
	5	

Amantii

Phone: 888.406.8764 Fax: 877.498.4206 Web site: www.amantii.com





Distributed By: