

WM-BI-28-3421 Electric Fireplace
shown with optional Sable fire glass



WALL MOUNT & BUILT-IN

ELECTRIC FIREPLACES

LED LIGHT • INCANDESCENT LIGHT • HEATER WITH FAN

Amantii

WM-BI SERIES

WM-BI PROGRAMMABLE THERMOSTAT
 ADVANCED FLAME PRESENTATION
 LED LIGHTING WITH HEATER & FAN




WM-BI-28-3421 Electric
 Fireplace shown with log set

WM-BI-28-3421 SPECIFICATIONS

WM-BI SERIES

Fireplace Features


- Clean black glass face
- Optional Designer beveled steel face comes on the WM-BI-43-5123 only
- Can be wall mounted or built-in
- No grills
- Three stage heater
- 4-stage front and 4-stage back light
- Featuring an advanced flame presentation, the latest LED light technology with multi colour flame
- Heat can operate without flame
- Flame operates with or without heat
- Remote control for flame and heater included
- Digital display programmable thermostat
- Thermostat is located on remote and displayed on the fireplace in F or C
- Front and rear control for lighting effects
- Approx. heating area – 400 sq. ft.
- Plug located on the right side



WM-BI-28-3421

Built-in electric fireplaces are a perfect alternative for gas or wood burning fireplaces, solving impossible installation challenges and offering immediate gratification with same-day installation. If you have limited space, then the WM-BI-28-3421 is your answer and is designed to be wall mounted or built-in. Included with the WM-BI-28-3421 is a log set and three colours of fire glass media.


| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 9 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 4 watts |
| Height, Width, Depth | 17 x 28 x 5 1/2 |
| Glass Viewing Opening | 24 5/8 x 9 3/16 |
| Glass Size | 34 x 21 |
| Shipping Size | 37 1/4 x 10 1/4 x 25 |
| Shipping Weight | 48 lbs. Glass Included |
| Cord Length | 75" |





WM-BI-43-5123 Electric Fireplace shown with black glass front and optional Blaze fire glass


WM-BI-43-5123 SPECIFICATIONS



WM-BI-43-5123

Opportunities abound with the WM-BI-43-5123 electric fireplace. Choose between sleek black glass or the new stylish Designer beveled steel faces. Add personal style to your room and change the fireplace media at any time. The WM-BI-43-5123 is designed to be wall mounted or built-in. Comes with log set and three colours of fire glass media on page 7.


| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 11 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 4 watts |
| Height, Width, Depth | 17 x 43 x 5 1/2 |
| Glass Viewing Opening | 39 1/2 x 9 3/16 |
| Glass Size | 51 x 23 |
| Shipping Size | 55 x 10 3/8 x 27 1/2 |
| Shipping Weight | 72 lbs. Glass Included |
| Cord Length | 75" |





WM-BI-58-6421 Electric Fireplace with log set


WM-BI 58-6421 SPECIFICATIONS



WM-BI-58-6421

Revamp any room with the beautiful WM-BI-58-6421 electric fireplace. Designed to be wall mounted or built-in. Comes with log set and three colours of fire glass media.

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 18 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 10 watts |
| Height, Width, Depth | 17 x 58 x 5 1/2 |
| Glass Viewing Opening | 54 7/16 x 9 3/16 |
| Glass Size | 64 x 21 |
| Shipping Size | 68 x 10 3/8 x 25 5/8 |
| Shipping Weight | 87 lbs. Glass Included |
| Cord Length | 75" |



ambiance



WM-BI-76-8221 Electric Fireplace with optional Sunset fire glass


WM-BI 76-8221 SPECIFICATIONS



WM-BI-76-8221

Have a larger space to fill? The WM-BI-76-8221 is a perfect solution. Designed to be wall mounted or built-in. Comes with log set and three colours of fire glass media.

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 20 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 10 watts |
| Height, Width, Depth | 17 x 76 x 5 1/2 |
| Glass Viewing Opening | 72 7/16 x 9 3/16 |
| Glass Size | 82 x 21 |
| Shipping Size | 87 x 11 1/4 x 25 5/8 |
| Shipping Weight | 107 lbs. Glass Included |
| Cord Length | 75" |



professional



WM-BI-106-11524 Electric Fireplace with Clear fire glass


WM-BI-106-11524 SPECIFICATIONS



WM-BI-106-11524

With an amazing length of 115" the WM-BI-106-11524 electric fireplace is bound to turn heads. An excellent choice for commercial installations, this stunning unit can be built in or wall mounted. The state of the art lifelike flame comes alive in one of the biggest glass viewing areas in the industry. Comes with log set and three colours of fire glass media.

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 11.7 |
| Watts | 1400 max |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 25 watts |
| Blower Motor | 14.5 watts |
| Small Motor | 10 watts |
| Height, Width, Depth | 17 x 106 x 5 1/2 |
| Glass Viewing Opening | 102 1/2 x 9 3/16 |
| Glass Size | 115 x 24 |
| Shipping Size | 120 x 11 1/4 x 28 1/2 |
| Shipping Weight | 158 lbs. Glass Included |
| Cord Length | 75" |



ACCESSORIES & COLOUR OPTIONS



WM-BI-58-6421 Electric Fireplace with log set

LOG SET

The logs come with both the WM-BI Series and the WM-50.



Variations in colour and shade are inherent in all printing processes, the actual colours may vary slightly from those shown in this brochure. Please visit your local dealer to view a sample.

FIRE GLASS COLOURS

The three fire glass colours below are included with the WM-BI Series, WM-50 and WM-3522CF



Hz-01 Clear



Hz-04 Harvest Moon



Hz-09 Sun Tea

OPTIONAL FIRE GLASS


The three optional fire glass colours below are available to purchase at an additional charge.



Hz-05 Goldenrod



Hz-06 Blaze



Hz-07 Sunset



Hz-08 Sable

WM-BI SERIES

WM-BI TEMPERATURE MAINTENANCE CONTROL AND BACK-LIGHTING LED LIGHTING WITH HEATER & FAN



WM-BI-26-3623 Electric Fireplace with Mystic Green back-lit light and log set

WM-BI-26-3623 SPECIFICATIONS

WM-BI SERIES Fireplace Features


- Clean black glass face
- No grills
- Three stage heater
- Can be wall mounted or built-in
- 4-stage front and 4-stage back light
- Featuring the latest LED light technology
- Comes with two remote controls. One is for the 13 colours of back-lit mood lighting, the other is for the flame and heater
- Maintains a constant temperature between 20-25° C
- Heat is vented out the bottom
- Heat can operate without flame
- Flame operates with or without heat
- Approx. heating area – 400-500 sq. ft.
- Front and rear control for lighting effects
- Plug located on the left side
- Three colours of fire glass media & log all included in the box



WM-BI-26-3623

The clean and modern WM-BI-26-3623 will add an impressive glow to any space. Not only does this model feature temperature maintenance controls but it features back lights with 13 colours to choose from. Simple to wall mount or build-in to the wall for a custom finished look. Comes standard with three colours of fire glass media and log in the box.

| | |
|-----------------------|--------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 26 x 6 |
| Glass Viewing Opening | 23 1/2 x 10 |
| Glass Size | 35 1/2 x 23 |
| Shipping Size | 38 3/4 x 9 1/8 x 25 5/8 |
| Shipping Weight | 55.7 lbs. Glass Included |
| Cord Length | 76" |






WM-BI-34-4423 Electric Fireplace with Cobblestone Blue back-lit light and Harvest Moon fire glass

Burst of colour


WM-BI-34-4423 SPECIFICATIONS



WM-BI-34-4423

Warm up any space with the sleek and sophisticated WM-BI-34-4423, featuring temperature maintenance controls and the ability to add a back lit glow in your choice of 13 colours. This stylish unit will add a touch of elegance to a space by day and a splash of colour by night. Unit can be wall mounted or built-in to the wall for a more custom look and finish. Comes standard with three colours of fire glass media and log in the box.


| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 34 x 6 |
| Glass Viewing Opening | 31 1/2 x 10 |
| Glass Size | 43 1/2 x 23 |
| Shipping Size | 46 3/4 x 9 1/8 x 25 5/8 |
| Shipping Weight | 65.8 lbs. Glass Included |
| Cord Length | 76" |





WM-BI-48-5823 Electric Fireplace with Imperial Purple back-lit light and log set


WM-BI-48-5823 SPECIFICATIONS




WM-BI-48-5823

Impressive and functional. The WM-BI-48-5823 will heat up a room in more ways than one – featuring 13 colours of ambient back lighting, this unit adds wow factor to any space. The WM-BI-48-5823 features temperature maintenance controls and the ability to be wall mounted or built-in to a wall for a custom finished look. Comes standard with three colours of fire glass media and log in the box.

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 48 x 6 |
| Glass Viewing Opening | 45 1/2 x 10 |
| Glass Size | 57 1/2 x 23 |
| Shipping Size | 60 3/4 x 9 1/8 x 25 5/8 |
| Shipping Weight | 82.2 lbs. Glass Included |
| Cord Length | 76" |






WM-BI-48-5823 Electric Fireplace with Sapphire Blue back-lit light

WM-BI SERIES BACK-LIT COLOURS


(Available for WM-BI Series 26", 34", 48" and 72" models only. Comes with 13 colours to choose from.)




Shown with Smoky Amber Back-Lit



Shown with Cobblestone Blue Back-Lit



Shown with Mystic Green Back-Lit




Shown with Imperial Purple Back-Lit



WM-BI-72-8123 Electric Fireplace with Smoky Amber back-lit light and optional Goldenrod fire glass


WM-BI-72-8123 SPECIFICATIONS



WM-BI-72-8123

The WM-BI-72-8123 adds ambiance to any space with its optional back lit glow in your choice of 13 different colours. Unit is easy to wall mount or for a more custom look build right into the wall. Comes standard with three colours of fire glass media and log in the box.

| | |
|-----------------------|-----------------------------------|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 22 watts |
| Lamps | LED 22 watts |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 21 1/4 x 71 1/2 x 6 |
| Glass Viewing Opening | 69 x 10 |
| Glass Size | 81 x 23 |
| Shipping Size | 84 1/4 x 9 1/8 x 25 5/8 |
| Shipping Weight | 115.3 lbs. Glass Included |
| Cord Length | 76" |



WM SERIES

INCANDESCENT LIGHT
WITH HEATER AND FAN



ingenuity

WM-1641 Vertical Convex Electric Fireplace


WM-1641 SPECIFICATIONS

WM SERIES Vertical Convex Fireplace Features

- Crystal Black glass face
- Easy-to-install 2-step process
- State of the art electric flame technology for a realistic looking flame
- Flame operates with or without heat
- Remote control for flame and heater (included)
- On demand heat - great for zone heating
- 120 Volt - 1500 watt/ 5000 btu heater
- Approximate heating area - 500 sq. ft.
- Low operating cost with high (100%) efficiency
- Plug located on the right side



| | |
|-----------------------|--|
| Volts | 120 |
| Amps | 12 |
| Watts | 1435 max |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 85 watts |
| Lamps | 2 each 40 watt Candelabra Incandescent, 80 watts total |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 39 3/8 x 10 3/8 x 6 1/4 |
| Glass Viewing Opening | 21 1/4 x 7 7/8 |
| Glass Size | 41 3/8 x 15 3/4 |
| Shipping Size | 19 x 9 x 43 |
| Shipping Weight | 49 lbs. Glass Included |
| Cord Length | 76" |



Vertical Convex Wall Mounted Electric Fireplace

The WM-1641 vertical convex electric fireplace can transform any space with its clean, contemporary design and realistic torch-like flame.



WM-2134 Vertical Convex Electric Fireplace






WM-2134 SPECIFICATIONS



Vertical Convex Wall Mounted Electric Fireplace

Are you limited on space? This unique, vertical convex electric fireplace can be mounted flat against the wall or in a corner to make the most of a small area.

| | |
|-----------------------|--|
| Volts | 120 |
| Amps | 14 |
| Watts | 1435 max |
| Heater | 1350 watts high, 675 watts low |
| No Heater | 85 watts |
| Lamps | 2 each 40 watt Candelabra Incandescent, 80 watts total |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 26 7/9 x 14 5/9 x 4 4/5 |
| Glass Viewing Opening | 13 x 16 8/9 |
| Glass Size | 21 2/3 x 34 2/3 |
| Shipping Size | 24 x 9 x 36 |
| Shipping Weight | 46 lbs. Glass Included |
| Cord Length | 70" |



sleek



WM-3522CF Convex Electric Fireplace with optional Sunset fire glass

WM-3522CF CONVEX FRONT SPECIFICATIONS

WM SERIES Flat Front and Convex Fireplace Features

- Crystal Black glass
- Easy-to-install 2-step process
- WM-50 comes with three colours of fire glass media.
- WM-3522CF comes with rocks and three colours of fire glass media.
- A lifelike, adjustable flame that adds warmth and style to any setting
- Flame operates with or without heat
- Remote control for flame and heater (included)
- On demand heat - great for zone heating
- 120 Volt - 1500 watt/ 5000 btu heater
- Plug located on the right side




| | |
|-----------------------|---|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1375 watts high, 625 watts low |
| No Heater | 125 watts |
| Lamps | 3 each 40 watt Candelabra Incandescent, 120 watts total |
| Rotor Motor | 1@5 watts |
| Height, Width, Depth | 18 3/5 x 22 1/10 x 5 3/10 |
| Glass Viewing Opening | 22 x 11 4/5 |
| Glass Size | 35 2/5 x 22 1/10 |
| Shipping Size | 38 x 8 x 25 |
| Shipping Weight | 47 lbs. Glass Included |
| Cord Length | 75" |

Convex Front Wall Mounted Electric Fireplace

Set the mood with the WM-3522CF convex electric fireplace. With a realistic flame and modern design, this fireplace will add ambiance to any room. The WM-3522CF comes with rocks and three colours of fire glass media. See fire glass colours on page 7.

Approximate heating area - 376 sq. ft.





WM-50 Electric Fireplace with optional Frosted White glass face and Clear fire glass

WM-50 SPECIFICATIONS




Log set



Frosted White shown with the ember bed

| | |
|-----------------------|--|
| Volts | 120 |
| Amps | 12.5 |
| Watts | 1500 max |
| Heater | 1500 watts high, 800 watts low |
| No Heater | 160 watts |
| Lamps | 4 each 40 watts Candelabra Incandescent, 160 watts total |
| Rotor Motor | 1 at 4 watts |
| Height, Width, Depth | 18 1/10" x 38 3/5" x 5 3/10" |
| Glass Viewing Opening | 37" x 8 7/10" |
| Glass Size | 50 2/5" x 21 7/10" |
| Shipping Size | 54" x 26" x 9" |
| Shipping Weight | 52 lbs. Glass Included |
| Cord Length | 75" |

Add a little flare to your fireplace face with the WM-50. This unit has the option of a crystal black glass face or crystal frosted white glass face to fit your style. You'll also get the look of a beautiful wood fire, realistic log set and ember bed with this easy-to-install electric fireplace. Heats approximately 430 sq. ft. Comes with three colours of fire glass media.





WM-38 Electric Fireplace

WM-38 SPECIFICATIONS

WM SERIES

Liner Fireplace Features


- Comes standard with crystal black glass face
- Optional real stone faces are available for the WM-38 and WM-58
- Easy-to-install 2-step process
- Slim 6" depth unit hangs easily on any wall
- 2 1/2" return on all stone faced units
- A lifelike flame that adds warmth and style to any setting
- Flame operates with or without heat
- Remote control for variable heat and variable flame (included)
- On demand heat - great for zone heating
- 120 Volt - 1500 watt/5000 btu heater
- Approximate heating area - 400 sq. ft.
- Easy to reach manual controls
- Plug located on the right side



Eco-friendly & Beautiful.

If you love the sleek appearance of a linear fireplace, but have limited space, the WM 38" is your answer. This easy-to-install unit adds a clean, fresh look to any room in your home. The crystal black glass face comes standard, or create your own style with optional real stone upgrades.

| | |
|-----------------------|---|
| Volts | 120 |
| Amps | 13.5 |
| Watts | 1625 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 125 watts |
| Lamps | 3 each 40 watt Candelabra Incandescent, 120 watts total |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 19 1/8 x 24 1/2 x 4 3/4 |
| Glass Viewing Opening | 20 3/4 x 11 1/4 |
| Glass Size | 37 5/8 w x 25 5/8 h |
| Shipping Size | |
| Glass Front Model | 39 3/4 x 7 1/2 x 27 1/4 |
| Stone Front Model | 42 1/2 x 9 3/4 x 31 1/2 |
| Shipping Weight | |
| Glass Front Model | 68.5 lbs. |
| Stone Front Model | 92.75 lbs. |
| Cord Length | 76" |





WM-58 Electric Fireplace


WM-58 SPECIFICATIONS



Sleek & Stylish.

It's not easy being popular, but the WM 58" electric fireplace is all that and more. Fitting perfectly into any setting, this gorgeous fireplace will provide years of enjoyment and beauty in your home. Also available with real stone optional upgrades.

| | |
|--------------------------|---|
| Volts | 120 |
| Amps | 14.5 |
| Watts | 1745 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 245 watts |
| Lamps | 5 each 40 watt Candelabra Incandescent, 200 watts total |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 20 1/10 x 39 3/10 x 5 3/10 |
| Glass Viewing Opening | 37" x 10" |
| Glass Size | 58 1/4 w x 25 9/16 h |
| Shipping Size | |
| Glass Front Model | 60 1/4 x 8 x 27 1/4 |
| Stone Front Model | 62 1/2 x 9 3/4 x 31 1/2 |
| Shipping Weight | |
| Glass Front Model | 106 lbs. |
| Stone Front Model | 126 lbs. |
| Cord Length | 75" |





WM-95 Electric Fireplace

wow factor



WM-95 SPECIFICATIONS



Contemporary & Distinctive.

With its unique flame and stunning length, this WM 95" electric fireplace will certainly be a show-stopper, whether it's part of your home or business.

| | |
|--------------------------|---|
| Volts | 120 |
| Amps | 15.5 |
| Watts | 1865 max |
| Heater | 1500 watts high, 750 watts low |
| No Heater | 365 watts |
| Lamps | 9 each 40 watt Candelabra Incandescent, 360 watts total |
| Rotor Motor | 1 at 5 watts |
| Height, Width, Depth | 19 7/10 x 81 1/10 x 4 4/5 |
| Glass Viewing Opening | 78 1/2 x 10 5/8 |
| Glass Size | 94 1/2 w x 26 3/8 h |
| Shipping Size | 97 x 9 x 29 |
| Shipping Weight | 176.5 lbs. Glass Included |
| Cord Length | 62" |



PRICE LIST

| Part Number | Description | MSRP |
|-------------|-------------|------|
|-------------|-------------|------|

WM-BI SERIES

WM-BI PROGRAMMABLE THERMOSTAT WITH ADVANCED FLAME PRESENTATION
WALL MOUNT OR BUILT-IN W/LED LIGHT, HEATER WITH FAN

| | | |
|------------------------|---|--|
| WM-BI-28-3421-BLKGLS | 28" Electric Unit with 34" x 21" Black Glass Surround | |
| WM-BI-43-5123-BLKGLS | 43" Electric Unit with 51" x 23" Black Glass Surround | |
| WM-BI-58-6421-BLKGLS | 58" Electric Unit with 64" x 21" Black Glass Surround | |
| WM-BI-76-8221-BLKGLS | 76" Electric Unit with 82" x 21" Black Glass Surround | |
| WM-BI-106-11524-BLKGLS | 106" Electric Unit with 115" x 24" Black Glass Surround | |

WM-BI SERIES

WM-BI TEMPERATURE MAINTENANCE CONTROL & BACK-LIGHTING
WALL MOUNT OR BUILT-IN W/LED LIGHT, HEATER WITH FAN

| | | |
|---------------|---|--|
| WM-BI-26-3623 | 26" Electric Unit with 36" x 23" Black Glass Surround | |
| WM-BI-34-4423 | 34" Electric Unit with 44" x 23" Black Glass Surround | |
| WM-BI-48-5823 | 48" Electric Unit with 58" x 23" Black Glass Surround | |
| WM-BI-72-8123 | 72" Electric Unit with 81" x 23" Black Glass Surround | |

WALL MOUNT SERIES

WM WALL MOUNT UNITS W/INCANDESCENT LIGHT, HEATER WITH FAN

| | | |
|---------------------|---|--|
| WM-1641 | 16" x 41" Vertical Convex Electric Fireplace | |
| WM-2134 | 21" x 34" Convex Electric Fireplace Can be installed across a corner | |
| WM-3522CF | 35" x 22" Convex Front Electric Fireplace | |
| WM-38-BLKGLASS | 38" Electric Fireplace w/ Black Glass | |
| WM-50-BLK | 50" Electric Fireplace w/Black Glass | |
| WM-50-ALPINESHIMMER | 50" Electric Fireplace w/Alpine Shimmer Glass | |
| WM-58-BLKGLASS | 58" Electric Fireplace w/ Black Glass | |
| WM-95-BLKGLASS | 95" Electric Fireplace w/ Black Glass | |

Amantii

Phone: 888.406.8764
Fax: 877.498.4206
Web site: www.amantii.com



Distributed By:



Intertek