

OUTDOOR PRODUCTS



 Monessen

# WARM WELCOME



Nothing invites or delights like the dancing flames of a fire. For thousands of years fire has been the focal point of hearth and home and, like so many families before, we invite you to sit by ours and enjoy their warmth and beauty.



ODSR36A wood burning fireplace



ODSR42A wood burning fireplace

# MAKE THE OUTDOORS GREAT AGAIN WITH AN OUTDOOR WOOD FIREPLACE FROM MONESSEN

## WOOD BURNING FIREPLACES

### AL FRESCO ODSR36/42A

Nothing enhances outdoor ambiance like the elegant stainless steel Al Fresco wood burning fireplaces from Monessen. Build your outdoor room around their radiant heat and expansive view of real wood flames. Available in both 36 and 42 inch sizes and with optional bi fold stainless steel doors, the Al Fresco will make the most of your outdoor living space.

### SB44SS

Enjoy the crackling hiss of a roaring wood fire surrounded by the sophisticated style of the Monessen outdoor wood burning fireplace. No longer just the stuff of campfires, the real wood flames of the Monessen outdoor wood burning fireplace add elegance and warmth to any outdoor room or patio setting.

Bring the outdoors in by installing the Monessen outdoor wood burning fireplace into any indoor room where a proper venting system can be installed.



SB44SS indoor fireplace



ODGR400 gas fireplace

## UNVENTED OUTDOOR GAS FIREPLACES

### AL FRESCO ODGR400/500

Your home just got a lot larger. With the new Al Fresco outdoor unvented gas fireplace by Monessen, your cozy family gatherings or formal entertaining are no longer limited to the indoors. With an expansive viewing area, stainless steel quality construction, optional doors, and up to 60,000 BTUs of warmth, the Al Fresco is the perfect all weather addition to your outdoor room. From a city rooftop to a suburban backyard retreat, the ambience of an inviting fire can be yours just about anywhere.



ODGR500 gas fireplace



## VENTED OUTDOOR LOG SET

VWFOD24

Now you can enjoy the ambiance of an open outdoor wood fire, with the convenience of propane or natural gas. The Matchlight Refractory Cement Vented Outdoor Log Sets from Monessen offers you easy manual match-lighting ignition in two distinct arrangements: our Classic Series - available in 24 and 30 inch sizes, and our Colossal Series - available in 30 and 36 inch sizes. It's the great outdoors - only better!

### Standard Features

#### WOOD BURNING FIREPLACES

##### ODSR36/42A

- 22" deep
- Stainless steel construction
- Refractory brick firebox lining
- Side gas line access

##### SB44SS

- 26 3/8" deep
- Stainless steel construction
- Herringbone refractory firebrick lining
- Side gas line access

#### GAS FIREPLACES

##### ODGR400/500

- Feature stainless steel mesh screen, basket grate and concrete brick firebox lining
- Fully insulated radiant gas fireplace models in 36" and 42" size
- Flex line with cut off pre-installed
- Weather resistant gas burner system and logs

- Built in flue damper
- Mesh screen
- Basket grate
- Uses SK8 chimney

- Can be installed indoors or out
- Built in flue damper
- Mesh screen
- Basket grate

- 60,000 BTUs provides superior warmth on chilly nights
- No venting required on gas models means installation flexibility - gas models can be installed virtually anywhere allowable by local building code (outdoor only)
- CSA design certified

### Optional Accessories

#### WOOD BURNING FIREPLACES

##### OSSR36/42A

- Bi-fold doors in weather resistant stainless steel
- Outside air kit

##### SB44SS

- Full framed glass doors
- Stainless steel glass doors
- Outside air kit
- Duct connector

#### GAS FIREPLACES

##### ODGR400/500

- Bi-fold doors glass doors are available in weather-resistant stainless steel
- Weather cover for gas logs/burner
- Drain pan (recommended for exterior wall applications)
- 4" Stainless Steel Hood
- Conversion Kits available

#### VENTED OUTDOOR LOGS

VWFOD24 Classic Series



American Oak refractory

VWFOD24 Classic Series



Massive Oak refractory

VWFOD24 Colossal Series



Split Pine refractory

VWFOD24 Colossal Series



Weathered Pine refractory

## Outdoor Products

Model	ODSR36A	ODSR42A	SB445S			
<b>WOOD BURNING FIREPLACES</b>						
Dimensions (Actual)	40"W x 39 5/8"H x 22"D	46"W x 39 5/8"H x 22"D	53 1/8"W x 52 7/8"H x 26 3/8"D			
Dimensions (Framing)	41"W x 43 3/4"H x 22 1/2"D	47"W x 43 3/4"H x 22 1/2"D	53 5/8"W x 53 1/8"H x 27 7/8"D			
Viewing Area	36"W x 23"H (828sq.in.)	42"W x 23"H (966sq.in.)	27"H x 44"W (1188sq.in.)			
Radiant or Circulating	Radiant	Radiant	Radiant			
Design Certified	UL	UL	OMNI			
Model	ODGR400	ODGR500				
<b>GAS FIREPLACES</b>						
BTU / HR	42,600 - 60,000 NG / 44,000 - 60,000 LP	42,600 - 60,000 NG / 44,000 - 60,000 LP				
Dimensions (Actual)	40"W x 39-5/8"H x 22"D	46"W x 39-5/8"H x 22"D				
Dimensions (Framing)	41"W x 43-3/4"H x 22-1/2"D	47"W x 43-3/4"H x 22-1/2"D				
Viewing Area	36"W x 24"H (864 sq. in.)	42"W x 24"H (1008 sq. in.)				
Radiant or Circulating	Radiant	Radiant				
Design Certified	CSA	CSA				
Model	VWFOD24N	VWFOD24P	VWFOD30N	VWFOD30P		
<b>CSA VENTED GAS LOGS</b>						
Classic Series Log Size	24"	24"	30"	30"		
Colossal Series Log Size	30"	30"	36"	36"		
Fuel Type	NG	LP	NG	LP		
Manual Matchlight Control	Front Depth Back Height	Front Depth Back Height	Front Depth Back Height	Front Depth Back Height		
Minimum Hearth Area	30" 13-1/2" 27" 16"	30" 13-1/2" 27" 16"	36" 13-1/2" 33" 16"	36" 13-1/2" 33" 16"		
BTU / HR	90,000	60,000	90,000	60,000		
Radiant Heat Output	20,000	14,000	22,000	14,000		

For more information about MHSC and Monessen efficient and environmentally friendly products, please visit [www.monessenhearth.com](http://www.monessenhearth.com)



A Brand of Monessen Hearth Systems Co.  
149 Cleveland Drive, Paris, Kentucky 40361

[www.monessenhearth.com](http://www.monessenhearth.com)

Your Monessen Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2010 Monessen Hearth Systems Co.

Ver.02 MON9708